

INDICATIVE SEAL MINI CABLE LOCK PREMIUM 150 (MCLP 150)

Pull-Tight Barrier Seal

Delicate premium seal for security requirements.

Mini Cable Lock Premium 150 is delicately designed with various tamper-evident features in a small-sized seal. The seal is durable and versatile for indicative security application. Its space saving size makes it ideal for identification and authentication purposes.

Applications:

● Authentication Tagging • Evidence Securing • Retail Applications • F&B Applications



PREVENTION · PROTECTION · PEACE OF MIND














Indicative · Pull-Tight Barrier Seal · Data Sheet






- LASER MARKING OPTION

 OMBO OF THE PROPERTY OF
- 1 The Mini Cable Lock Premium 150 is moulded with high-impact PP material with non-preformed galvanised steel wire to show clear evidence of tampering.
- 2 One-way locking mechanism is embedded for fast and easy application. The additional tips at both ends provide greater protection.
- 3 Irreversible identifiers such as name, logo, barcode, serial number and QR code are laser-marked on the body.
- 4 Biodegradable additives for plastic material are available.
- 5 Plastic body material can withstand extreme weather conditions, -20°C to 80°C.



VIEW APPLICATION GIF



TECHNICAL SPECIFICATIONS

*Customisable cable length upon request.

PRODUCT - MINI CABLE LOCK PREMIUM 150 (MCLP 150)											
Code	Material	Locking Length	Locking Size	Tensile Strength	Marking Area	Max Marking Digits					
MCLP 150	Body: Zinc Plastic: Polypropylene (PP) Locking Component: Hardened Steel Cable: Galvanised Steel Wire	180 mm (7.1 mm)	Ø 1.5 mm (0.06 in)	<200 kgf (<440.9 lbf)	12 x 22 mm (0.5 x 0.9 in)	Serial no : 8 Barcode : 7					

PACKAGING										
Carton	Quantit	Dimensions (mm)	Gross Weight (kg)	Volume (m³)	Standard Pastel Colours					
Inner	500	300 x 280 x 120 (11.8 x 11 x 4.7 in)	5.35 (11.8 lb)	0.01 (0.3 cu.ft.)	Body: WH PSYL PSOR PSRD PSBL PSGN BK For colour customisations, kindly contact us for further information.					

Carton size and weight vary according to cable length. Figures shown in the table are for the standard cable length packaging. Please contact us for additional details.

Updated Date : 20 June 2023